EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	(((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain) and (class with context) and ((range$1domain domain$1range (range with domain))) and (((domain with (home name)) domain$1home)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 09:53
L2	4	(((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 09:53
L3	32	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 09:53
L4	31	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item)) and domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 09:53

L5	0	707/602.ccls. and (((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item)) and domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 09:55
L6	47	707/602.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/24 09:55
S1	3	(((presentation adj (logi layer)) with knowledge with (business with (logic layer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:58
S2	5	(((presentation adj (logic layer)) with knowledge with (business with (logic layer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:58
S3	3	(((presentation adj (logic layer)) with knowledge with (business adj (logic layer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:58
S4	196	(((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 10:59
S5	83	(((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:00

S6	64	((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:01
S7	4	((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:02
S8	0	((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and (abstract with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:08
S9	1	((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and (data$1set (data adj set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:08
S10	0	((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and ((data$1set (data adj set)) with data with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:09
S11	0	((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and (abstract with class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:10

S12	4	(((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and (((tree hierarch$6 directory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:11
S13	3	(((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and (((tree hierarch$6 directory) with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:11
S14	0	(((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and (((tree hierarch$6 directory) with function with (data item data $1item))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:11
S15	3	(((presentation adj (logic layer)) with (separat$4 de $1coupl$3) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (seriali$7 with (ejb java$1bean bean)) and (((tree hierarch$6 directory) with (function function$1set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:12
S16	53	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:16

S18	32	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:17
S19	32	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:19
S20	31	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item)) and domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:24
S21	0	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item)) and domain and (domain $1home)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:25
S22	0	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item)) and domain and (domain with home)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 11:25

S23	32	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:10
S24	1	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and ((tree hierarch$6 directory) with (function function$1set) with (data $1set data item) with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:11
S25	39	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:16
S26	0	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class with (tree hierarch$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:17
S27	37	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:19
S28	2	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class with (function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:19

S29	0	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class with (function) with (data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:20
S30	2	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class with (function)) and (api (application with interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:20
S31	0	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class with (function)) and (api (application with interface)) and ((generic base) with (interface class))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:21
S32	0	((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class with (function)) and (api (application with interface)) and (class$2 with (presentation)) and (class$2 with (business))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:26

S33	0	(((presentation adj (logic layer)) with (business adj (logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class with (function) with data) and (class$2 with (presentation gui)) and (class$2 with (business (application adj server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:38
S34	0	(((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with class) and ((tree hierarch$4) with class with (function) with data) and (class$2 with (presentation gui)) and (class$2 with (business (application adj server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:39
S35	0	(((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class with (function) with data) and (class with (function function$1set) with (data data$1set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:40
S36	0	(((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with (function function$1set) with (data data$1set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:40

S37	61	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:40
S38	44	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:41
S39	40	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and ((item object data data$1set function function$1set class) with presentation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:42
S40	40	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and ((item object data data$1set function function$1set class) with presentation) and ((item object data data$1set function function$1set class) with (business (application adj server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:43

S41	40	(((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and ((item object data data$1set function function$1set class) with presentation) and ((item object data data$1set function function$1set class) with (business (application adj server))) and (class with (data item data$1set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:43
S42	0	(((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and ((item object data data$1set function function$1set class) with presentation) and ((item object data data$1set function function$1set class) with (business (application adj server))) and (class with (data item data$1set) with (function function$1set))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:45
S43	32	(((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and ((item object data data$1set function function$1set class) with presentation) and ((item object data data$1set function function$1set	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:45

		class) with (business (application adj server))) and (class with (data item data$1set) with (function function$1set operation))				
S44	42	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:58
S45	42	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain) and (class wit context)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:58
S46	19	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain) and (class with context)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:58
S47	0	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain) and (class with context) and (class with (range $1domain domain$1range (range with domain)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:59

S48	19	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain) and (class with context) and ((range$1domain domain$1range (range with domain)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 12:59
S49	0	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain) and (class with context) and ((range$1domain domain$1range (range with domain))) and ((domain with home) domain$1home)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 13:00
S50	19	((presentation adj (logic layer)) with ((business application) adj (server logic layer))) and @ad<"20030922" and (ejb java$1bean bean) and (abstract with (class interface)) and ((tree hierarch$4) with class) and (class with domain) and (class with context) and ((range$1domain domain$1range (range with domain))) and ((domain with (home name)) domain$1home)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 13:01
S51	0	"20040230602" and embodiment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 13:05

S52	2	"20040230602"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/22 13:05

EAST Search History (Interference)

<This search history is empty>

5/24/2010 9:55:57 AM
C:\Documents and Settings\klovel\My Documents\EAST\Workspaces\10667690
\10667690_6.wsp